

AGENDA
CITY OF TAYLOR, TEXAS
PARKS & RECREATION BOARD MEETING
DICKEY GIVENS COMMUNITY CENTER
1015 E MARTIN LUTHER KING JR BLVD
AUGUST 19, 2026, 6:00 PM

CALL TO ORDER AND DECLARE A QUORUM

INVOCATION

PLEDGE OF ALLEGIANCE

CITIZENS COMMUNICATION

(The Board welcomes public comments on items not listed on the agenda. However, the Board cannot respond until the item is posted on a future meeting agenda. Public comments are limited to 3 minutes.)

REGULAR AGENDA

1. Introduction of Henry Pollock, Assistant Parks & Recreation Director
2. Review and Approve the minutes of the July 15, 2026 regular meeting.
3. Directors Report *Betsy Schultz*
4. Discussion, consideration, and possible action concerning the purchase of commercial fitness equipment at Memorial Field *Betsy Schultz*
5. Programs and Events Update *Betsy Schultz*
6. Identify items for next meeting
7. Next meeting date: September 16, 2026

ADJOURN


The Board may vote and/or act upon each of the items listed in this Agenda. I certify that this notice of meeting was posted in the Taylor City Hall Lobby before 6:00 pm on 08/13/2026 and remained posted for at least 3 business days continuously before the scheduled date of said meeting. I further certify that the following news media was notified of this meeting: Taylor Press.

Posted by:



Lisa Buzan, Liaison

Date:



Parks and Recreation

Maintenance Highlights-

- * Pool media filter change
- * Raised tree canopies throughout Bull Branch Park
- * Painted hand rails in Bull Branch Park
- * Sod cut Rotary, Bull Branch, and Mallard ballfields for TABS fall season
- * Weed eat pool entrance flower beds
- * Cut back low hanging limbs from footbridges along Hike & Bike Trail
- * New trash cans placed in Bull Branch Park, Robinson Park, and Taylor Regional Park
- * UV System and chlorine tank pump replaced at Heritage Square splash pad
- * Remounted signage in Murphy Park
- * Cut back tree growing on top of Robinson Park pavilion restroom building
- * Removed graffiti from shade structure poles at Robinson Park
- * Repaired soccer water fountain at Taylor Regional Park
- * Mow & weed eat inside pool fence
- * Graffiti removed from playground equipment at Doak Park & Robinson Park

Taylor Regional Park Schedule-

No tournaments the month of July

Projects-


- *2025 Park Improvements - substantially complete Murphy Park & Bull Branch Park

Programing-


- * Fitness Classes
- * Summer Programming
- * Water Aerobics
- * Murphy Park Clean-Up Volunteer Event
- * July 4th Celebration Event
- * Movie in the Park - Heritage Square Park

TRP Attendance					
Month	2022-2023	2023-2024	2024-2025	2025-2026	FY to Date
October	15,048	5,544	9,756	9,540	9,540
November	-	7,992	9,972	11,700	21,240
December	3,388	2,880	1,296	3,643	24,883
January	-	-	-	-	-
February	-	4,500	5,220	9,396	34,279
March	-	5,676	13,392	10,692	44,971
April	10,188	11,316	9,024	7,596	52,567
May	8,496	3,420	8,460	11,496	64,063
June	8,136	2,928	8,496	4,536	68,599
July	5,292	3,420	468	360	68,959
August	-	-	144		
September	4,812	13,248	16,704		
TOTAL:	55,360	60,924	82,932	68,959	68,959

Taylor Regional Park
Attendance




TRP Revenue					
Month	2022-2023	2023-2024	2024-2025	2024-2025	FY To Date
October	\$12,649	\$5,263	\$11,475	\$12,007	\$12,007
November	\$0	\$8,296	\$13,236	\$14,647	\$26,654
December	\$3,888	\$3,156	\$1,100	\$4,100	\$30,754
January	\$0	\$0	\$0	\$0	\$0
February	\$0	\$5,328	\$5,446	\$10,318	\$41,072
March	\$0	\$6,272	\$14,159	\$12,859	\$53,931
April	\$8,718	\$13,287	\$8,134	\$8,603	\$62,534
May	\$7,805	\$2,797	\$8,405	\$13,177	\$75,711
June	\$6,992	\$3,280	\$9,302	\$5,151	\$80,862
July	\$4,798	\$3,232	\$810	\$690	\$81,552
August	\$0	\$0	\$300		
September	\$3,963	\$14,042	\$16,342		
TOTAL:	\$ 48,813	\$ 64,953	\$ 88,709	\$ 81,552	\$ 80,862




Jul-26 <u>Rental Facilities</u>		
Location	Rentals	Totals:
Murphy Pavilion	4	\$ 450
Ole BBQ Pavilion	1	\$ 35
Bull Branch Pavilion	4	\$ 140
TRPSC Pavilion	0	\$ -
Robinson Pavilion	4	\$ 165
Robinson Ballfield	4	\$ 220
Dickey Givens Center	11	\$ 1,795
Total:	28	\$ 2,805

Month	2022-2023	2023-2024	2024-2025	2024-2025	To Date
October	\$ 2,885	\$ 3,635	\$ 4,021	\$ 3,640	\$ 3,640
November	\$ 1,685	\$ 1,685	\$ 3,335	\$ 3,785	\$ 7,425
December	\$ 1,500	\$ 2,290	\$ 2,930	\$ 2,655	\$ 10,080
January	\$ 1,860	\$ 2,115	\$ 2,480	\$ 2,220	\$ 12,300
February	\$ 1,620	\$ 2,780	\$ 2,270	\$ 2,550	\$ 14,850
March	\$ 2,410	\$ 4,250	\$ 3,975	\$ 3,395	\$ 18,245
April	\$ 2,400	\$ 3,390	\$ 3,350	\$ 3,355	\$ 21,600
May	\$ 3,190	\$ 3,950	\$ 5,220	\$ 6,389	\$ 27,989
June	\$ 4,125	\$ 4,960	\$ 3,665	\$ 3,695	\$ 31,684
July	\$ 3,220	\$ 2,870	\$ 4,105	\$ 2,805	\$ 34,489
August	\$ 2,555	\$ 3,910	\$ 3,460		
September	\$ 3,180	\$ 4,125	\$ 2,670		
Total:	\$ 30,630	\$ 39,960	\$ 41,481	\$ 34,489	\$ 34,489



Doris Roznovak Aquatic Center Revenue 2026

	2022	2023	2024	2026	To Date
May	\$ 1,845	\$ 2,541	\$ 2,905	\$ 18,223	\$ 18,223
June	\$ 11,800	\$ 12,481	\$ 11,650	\$ 30,552	\$ 48,775
July	\$ 6,966	\$ 7,877	\$ 7,088	\$ 19,911	\$ 68,686
August	\$ 3,507	\$ 1,964	\$ 3,421	\$ -	\$ -
September	\$ 265	\$ 276	\$ 193	\$ -	\$ -
Total:	\$ 24,383	\$ 25,139	\$ 25,257	\$ 68,686	\$ 68,686



PROPOSED FITNESS ZONE

Memorial Field

Taylor, TX


VERSION1 REV1 2026-02-23





Index

03-04	Proposed Design
05	Unit Selection
06	Critical Fall Heights
07	Project Layout
08-10	Unit Details
11-12	Signage
14-16	Installation & Maintenance
17	Warranty



INTRODUCING THE GREENFIELDS OUTDOOR FITNESS APP!

see page 13 for details

Why Greenfields Outdoor Fitness?

It's never been more important to get everyone in the community exercising!
Since 2007, Greenfields Outdoor Fitness has led the way in creating fun, interactive exercise areas available to the public 24/7.



CUSTOMIZE IT!

Need to modify one of our packages to your project's needs? Our design team is ready to help. Looking for custom colors? Just let us know what you need.




FITNESS FOR YOUR COMMUNITY

There's no one-size-fits-all approach to fitness! We specialize in making sure that everyone – from teens to adults to seniors, and even people in wheelchairs – can exercise on equipment that's suited to their needs. By helping people overcome the obstacles in their journey to becoming healthier, Greenfields is improving the quality of life for people across the world.




PEACE OF MIND

Our industry-leading warranty means you should expect no out-of-pocket maintenance costs for at least the first five years. Greenfields' equipment is installed across the U.S. from Alaska to Miami, and even overseas. In case of any issues, our expert support team is just a phone call away.










UNITS

A	SHP517C	Custom Compact Functional Fitness Rig
B	SHP724	Plyometric Steps

These 2 units may serve up to 12 people at a time.

In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice. The equipment shown in this document is a representation only; exact product ordered and shipped may differ from designs shown. Should there be a discrepancy between items listed or depicted in this document and items listed or depicted in Greenfields' estimates and order confirmations, the information listed in estimates and order confirmations will prevail.



Maximum critical fall height (CFH) is defined as the distance between the designated use surface and the surface beneath it.

FALL ATTENUATING SURFACING

To meet the ASTM F3101-21A Standard requirement for safety surfacing, Greenfields specifies the CFH (Critical Fall Height) for all fitness units and components in each design layout.


Critical Fall height is specified as the distance from the designated use surface to the surface below, and follows the same rules applied to playgrounds. For example, in a seated position, the CFH will be from the seat to the floor below. In the case of a pull-up bar, it will be the distance from the top of the bar to the ground below. For the finish wall of the Ninja Course, it will be the top landing platform, etc.

The decision of which type of fall attenuating surface material to use is ultimately up to the owner. The options include but are not limited to synthetic turf, engineered wood fiber, rubber tiles, and poured-in-place EPDM, to name a few. The thickness of each material recommended for a given CFH will vary by the manufacturer of the surfacing.

Greenfields recognizes the owner may prefer one surfacing supplier over another. All we ask is that the material thickness meets the IPEMA requirement for the published CFH, and that the installer/supplier provides the owner with IPEMA Certification stating that the installed surfacing meets the required minimum CFH.



2D SITE PLAN



In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice. The equipment shown in this document is a representation only; exact product ordered and shipped may differ from designs shown. Should there be a discrepancy between items listed or depicted in this document and items listed or depicted in Greenfields' estimates and order confirmations, the information listed in estimates and order confirmations will prevail.

Plyometric Steps



SHP724


SHP517

Custom Compact Functional Fitness Rig

This rig includes the following multi-use components for up to 9 people at once:

1. Captain's Chair
2. Ring Rows
3. Lat Pull-Up Bar
4. Parallel Bars
5. S-Shape Pull-Up Bar
6. Split Squat Pad
7. Battle Rope Anchor Point*
8. Rope Climb
9. Pull-Up Bar
10. Incline Sit-Up Bench
11. Cannonball Pull-Up Bar


See the Video









Target muscles
Secondary muscles

*This feature requires an optional add-on accessory for use.

A Fall-Attenuating Surfacing is required for this unit.







CUSTOMIZED ANNOUNCEMENT BOARD **SGR105**

This announcement board can be used to:

- State safety guidelines
- Acknowledge project donors/sponsors
- Encourage healthy lifestyle choices
- Provide sample workouts

Customization available at no charge (text, logos, etc.)

FRONT

 **FITNESS ZONE®**

Get Active!
Try to be active every day. Even if you've never exercised or haven't exercised in many years, you can benefit from fitness at any age.

Before You Start:

- Start slowly. Warm up for 5 to 10 minutes with easy stretching or brisk walking.
- Take it easy. Moderate exercise can benefit you as much as intense exercise.
- Read and understand all exercise instructions.

**A Complete Exercise Program Includes
3 TYPES OF ACTIVITY:**

 AEROBIC EXERCISE (Increases heart rate)	 STRENGTH-BUILDING (Increases muscle mass)	 STRETCHING (Increases flexibility)
• Raises your heart rate	• Increases strength	• Loosens stiff joints
• Uses the large muscles of the body (arms, legs, back)	• Improves balance	• Lengthens and loosens muscles
• Decreases risk of chronic disease	• Increases bone density	
• Helps you lose weight		

FITNESS ZONE AREAS ARE A PROJECT OF THE TRUST FOR PUBLIC LAND TO HELP COMMUNITIES GET FIT AND STAY HEALTHY. tpf.org/fitnesszone

BACK

 **ZONA DE EJERCICIOS®**

¡Actívale!
Intenta estar activo todos los días. Incluso si nunca ha hecho ejercicios o no lo ha hecho en muchos años, puede beneficiarse del ejercicio físico a cualquier edad.

Antes de que empieces:

- Comienza lentamente. Calienta durante 5 a 10 minutos con estiramientos fáciles o caminatas rápidas.
- Tómalo con calma. El ejercicio moderado puede beneficiarte tanto como el ejercicio intenso.
- Lee y comprende todas las instrucciones de ejercicio.

**Un programa completo de ejercicios incluye
3 TIPOS DE ACTIVIDAD:**

 EJERCICIO AEROBICO (Incrementa la frecuencia cardíaca)	 FORTALECER LOS MÚSCULOS (Incrementa la masa muscular)	 ESTIRAMIENTO (Incrementa la flexibilidad)
• Aumenta la ritmo cardíaco	• Aumenta masa muscular	• Afloja las articulaciones rígidas
• Utiliza los músculos grandes del cuerpo (brazos, piernas, espalda)	• Fortalece los músculos	• Alarga y afloja los músculos
• Disminuye el riesgo de enfermedades crónicas	• Aumenta la densidad ósea	
• Te ayuda a perder peso		

EL ÁREA DE LA ZONA DE EJERCICIOS ES UN PROYECTO DE LA TRUST FOR PUBLIC LAND PARA AYUDAR A LAS COMUNIDADES A OBTENER Y MANTENER SALUDABLES. tpf.org/fitnesszone

FRONT

**William H. Kerdyk, Jr., and Family Park
FITNESS ZONE**

The fitness equipment is designed for your enjoyment. For your safety, we ask you to comply with the following:

- 1 You assume all risk and responsibility for use of the exercise equipment at this facility.
- 2 You must be at least 14 years old to use this equipment.
- 3 Parents/Guardians: To avoid injuries, do not let your underage children use the equipment.
- 4 Consult your physician prior to starting any physical fitness training program.
- 5 The City of Coral Gables does not provide any supervision for the use of the equipment.
- 6 Any potential users with known adverse health conditions should not use this equipment.
- 7 Before using the equipment, check for loose parts, breaks, cracks or other conditions needing attention. If any abnormalities are noticed, do not use the equipment. Please contact parks@coralgables.com or (305)460-3600.
- 8 Perform exercises according to instructions on each piece of equipment.
- 9 Breathe normally during physical activity.
- 10 Perform resistance exercises according to instructions in a slow, controlled manner over the full range of motion. Performing the movements too quickly may result in an injury.
- 11 During exercise, pay attention to how your body feels. If pain or discomfort occurs, STOP THE EXERCISE IMMEDIATELY.
- 12 Rest and recovery are important between sets and exercises. Please allow 2 minutes of rest between exercises.
- 13 Keep a safe distance from exercise equipment when in use by others.

The City of Coral Gables shall not be liable for any personal injury to any person resulting from the use of the exercise equipment at this facility.



BACK

 **Riverside Park
FITNESS ZONE**

The fitness equipment is designed for your enjoyment. For your safety, we ask you to comply with the following:

- 1 You assume all risk and responsibility for use of the exercise equipment at this facility.
- 2 You must be at least 14 years old to use this equipment.
- 3 Parents/Guardians: To avoid injuries, do not let your underage children use the equipment.
- 4 Consult your physician prior to starting any physical fitness training program.
- 5 The city does not provide any supervision for the use of the equipment.
- 6 Any potential users with known adverse health conditions should not use this equipment.
- 7 Before using the equipment, check for loose parts, breaks, cracks or other conditions needing attention. If any abnormalities are noticed, do not use the equipment. Please call 313-528-0900.
- 8 Perform exercises according to instructions on each piece of equipment.
- 9 Breathe normally during physical activity.
- 10 Perform resistance exercises according to instructions in a slow, controlled manner over the full range of motion. Performing the movements too quickly may result in an injury.
- 11 During exercise, pay attention to how your body feels. If pain or discomfort occurs, STOP THE EXERCISE IMMEDIATELY.
- 12 Rest and recovery are important between sets and exercises. Please allow 2 minutes of rest between exercises.
- 13 Keep a safe distance from exercise equipment when in use by others.

The City of Detroit shall not be liable for any personal injury to any person resulting from the use of the exercise equipment at this facility.

FRONT

**Welcome to Your
Fitness Zone**

The fitness equipment is designed for your enjoyment. For your safety, we ask you to comply with the following:

- 1 You assume all risk and responsibility for use of the exercise equipment at this facility.
- 2 You must be at least 14 years old to use this equipment.
- 3 Parents/Guardians: To avoid injuries, do not let your underage children use the equipment.
- 4 Consult your physician prior to starting any physical fitness training program.
- 5 The City does not provide any supervision for the use of the equipment.
- 6 Any potential users with known adverse health conditions should not use this equipment.
- 7 Before using the equipment, check for loose parts, breaks, cracks or other conditions needing attention. If any abnormalities are noticed, do not use the equipment. Please call 408-986-4820.
- 8 Perform exercises according to instructions on each piece of equipment.
- 9 Breathe normally during physical activity.
- 10 Perform resistance exercises according to instructions in a slow, controlled manner over the full range of motion. Performing the movements too quickly may result in an injury.
- 11 During exercise, pay attention to how your body feels. If pain or discomfort occurs, STOP THE EXERCISE IMMEDIATELY.
- 12 Rest and recovery are important between sets and exercises. Please allow 2 minutes of rest between exercises or sessions.
- 13 Keep a safe distance from exercise equipment when in use by others.



BACK

THIS PROJECT WAS MADE POSSIBLE BY:



ROBERT A. BOTHMAN CONSTRUCTION 
www.bothman.com






Promoting Wellness & Fighting Obesity One Community at a Time.

UNIT LABELS


Unit labels feature safety guidelines, exercise instructions and more!



THE GREENFIELDS OUTDOOR FITNESS APP

The Greenfields App is the perfect companion to our multigenerational outdoor gyms, giving users the ability to search for gyms near their location, explore exercises available on Greenfields units, create workouts, and log their progress.


Now available on iOS and Android.



greenfieldsfitness.com/app-download/



EXPLORE

Search for gyms near you.




WORKOUT

Customize your routine.



SCAN

Quickly find videos & more.



General Installation Instructions: In-Ground Embedded Footings



Video Demo:

<https://gfoutdoorfitness.com/in-ground-installation/>

The following information for contractors, maintenance personnel and supervisory staff will help ensure an accurate, safe and problem-free installation.



SUGGESTED MATERIALS

Please be advised that the use of decomposed granite surfacing (DG) is known to accelerate normal wear & tear of footrests.

1. 2x4s: approximately four, 8' to 10' lengths per unit.
2. All-Thread: 3/8" to 1/2", cut in 1' lengths, two pieces per embedded pipe.
3. Nuts & Washers: to fit all-thread, four sets per embedded pipe.
4. Stakes: metal/wood, approximately six per unit.
5. Pavers/Cinder Blocks: 1 to 2 per unit.
6. Tie Wire/C-Clamps
7. Duplex Wood Nails/Dry Wall Screws
8. Concrete: 3250 psi or better. Aggregate ratio: 3/8" to 3/4" in 1:3 ratio. Concrete ratio: 1:3:2.5 of concrete, aggregate, and sand.
9. Tools: cordless impact driver, skill saw, pliers, hammer, small sledge, magnetic level, tape measure, shovels, wheelbarrows, etc.
10. Plans/Drawings: schematic drawings and instructions for each model # to be installed.

SITE PREP - Before equipment handling

1. Area should be fenced—recommend 6' temporary fencing, entire perimeter.
2. Ground should be thoroughly graded and "finished grade" accurately established, using either laser or string-line methods.
3. Prior to digging, entire site should be "laid-out" with all footings clearly marked as per plans.
4. In the U.S. contact "Dig Alert" for clearance to dig, and follow all local construction regulations (fencing, dirt removal, etc.)
5. Dig footings, closely following given dimensions.
6. Remove dirt and debris from site, prior to placing units.



General Installation Instructions: In-Ground Embedded Footings



BASIC INSTALLATION GUIDELINES


UNITS ARE HEAVY (up to 450 lbs.) When unloading and handling, please exercise extra care to prevent injury or damage to the equipment.



1. All units must be fully assembled before installation
2. All screws must be attached using LocTite
3. Do not drag units along the ground
4. If missing parts or damaged items are noticed during installation, or should any assistance be required, please contact Greenfields immediately at 888-315-9037 x105.
5. All units MUST be fully assembled, leveled, and braced in place in the footing hole before any concrete is poured.
6. A monolithic pour MUST be used for concrete. (All concrete must be poured at one time)
7. Concrete requirement: 3250 psi or better.
8. The top of the blue tape attached to the posts on the equipment is final top surface level.
9. Brace units at the designated locations using the 2x4s, secured by c-clamps, all-thread or tie-wire. Use padding to avoid scratching powder coating.
10. Suggested safety zone is about 48" - 60" perimeter around usage area (seats and moving parts). Clearance area may overlap with a nearby unit, as long as there is enough clearance to safely mount and dismount each unit.
11. Make sure all units are plumb and leveled
12. Adhere to surfacing level (marked on units with blue tape)
13. Pour concrete
14. Clear concrete residue from post and other parts
15. Let concrete dry. It is recommended to wait a minimum of one week after concrete is poured before equipment is used.
16. Remove supports
17. Touch up units using attached guide
18. Wrap units in black tarps until open to public
19. At the end of installation, toolbox and all documentation should be submitted to the local maintenance staff.



TURF SURFACING



Inspection Checklist

General Guidelines for Outdoor Fitness Equipment



Questions? Please call 888-315-9037 x105

The following document is supplied as a general inspection document to be performed during regular park inspections. Our support team can be reached at (888) 315-9037 x105 or csc@greenfieldsfitness.com.

Inspection process

- | | |
|--|--|
| ☐ Visual Inspection | ☐ Documentation |
| ☐ Internal Inspection | ☐ Reporting |

Visual Inspection

- ☐ Check all plastic footrests, backrests, seats, etc. for any cracks. If items are cracked in an unsafe manner, take photos and contact Greenfields to order new pieces.
- ☐ Check all rubber grips for any signs of wear, and make sure they are functioning correctly. If grips are torn or cut, exposing handlebars, take photos and report to Greenfields.
- ☐ Inspect welds for any signs of wear. If there is any damage, take photos and report to Greenfields.
- ☐ Check round safety labels for any signs of wear or vandalism, and send photos if there is.
- ☐ If unsafe for public use, please wrap portion of that unit with a caution-tape to prevent use while maintenance is in progress.

Internal Inspection

- ☐ Engage moving parts and ensure full, uninhibited functionality. If units are making noises when in use, do NOT lubricate the bearings. Check for any metal on metal contact and send photos to Greenfields for review.
- ☐ Inspect bolts and caps to ensure equipment is fully tightened. If screws are loose or missing, tighten or install new screws using a thread-locking compound. If new screws are needed, take photos of the location they are needed and contact Greenfields to order new screws.
- ☐ If unsafe for public use, please wrap portion of that unit with caution tape to prevent use while maintenance is in progress.

Documentation

- ☐ Greenfields takes great pride in providing amazing outdoor fitness gyms that are intended for use by the unsupervised masses in public settings. We do realize that left unattended, units may be subject to improper use or even abuse. We rely on the local maintenance staff to provide the necessary support in order to keep all units and parts in optimal operating condition for years to come.
- ☐ Please use the inspection log provided.

Reporting

- ☐ Greenfields Customer Support Center is available to help with all inquiries. **Please feel free to contact us at: csc@greenfieldsfitness.com or 888-315-9037 x 105**
- ☐ Please be sure to include photos and name of the park, city, state, country and on-site contact person with whom to communicate.

In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice.
© 2025 Greenfields Outdoor Fitness, Inc.

Safety and Upkeep Information



Greenfields Outdoor Fitness equipment is intended to be used by the unsupervised public in a variety of outdoor settings. Greenfields is extremely proud of the safe and durable design of its products, which are built to surpass their warranty under normal usage. Installations throughout the hemisphere prove this equipment's success in both hot and cold climates, as well as dry and humid conditions. While the units are designed to be, for the most part, maintenance free, Greenfields recognizes that heavy and constant usage will require a minimal level of maintenance.

Greenfields recommends periodic visual inspections of all outdoor fitness equipment to ensure that each unit is functioning normally and safely. In environments prone to vandalism, local maintenance teams should inspect more frequently. Periodic inspection is at the owners' discretion. Greenfields' Inspection Checklist is a suggestion only and is not intended to replace owners' own internal inspection system.

The following information is intended to provide some guidance for local maintenance teams:

Age Appropriate Use

This fitness equipment is classified as Adult Fitness Equipment and is designed to be used by individuals 14 years or older. Please take necessary precautionary steps to prevent use (and mis-use) by individuals younger than 14. Parental supervision should be enforced.

Normal Wear & Tear

As with any equipment, certain parts may wear more rapidly due to the type and frequency of usage. Most of Greenfields' replacement parts are designed to be installed easily—with specific instructions provided as needed. Every owners' manual contains a detailed replacement parts list for each unit purchased. [Please be advised that the use of decomposed granite (DG) is known to increase the normal wear of footrests and platforms. DG particles attach to the soles of shoes and, like sandpaper, grind these surfaces continually.]

Surface Touch-up

During handling and/or installation, the various surfaces of the equipment may become scratched or disfigured. Greenfields provides touch-up paint with each shipment, and a "Touch-up Guide" is included in this manual. Greenfields' support staff is always available to answer questions regarding the above.

Vandalism

Greenfields' equipment is installed in all types of environments. In some cases, these installations face the challenges of vandalism, graffiti, theft, etc. In some instances touch-up paint is a simple remedy; in other cases a replacement part may have to be purchased. While the warranty does not cover cases of vandalism, Greenfields' customer service team will strive to resolve issues quickly and fairly.

Improper Usage

Since Greenfields' equipment is used without supervision, it may be subject to improper use—that for which it was not designed. Over the years, through its R&D efforts, Greenfields has been able to modify the equipment design to minimize damages caused by improper use. Nevertheless, improper use may compromise a unit's integrity, leading to unnecessary repair expense and/or unsafe conditions. Signs of improper use can sometimes be detected through visual inspections.

In order to honor our commitment to quality and safety, Greenfields Outdoor Fitness reserves the right to make changes and revise the design specifications without notice.
© 2025 Greenfields Outdoor Fitness, Inc.

Warranty

- Limited 10-year warranty on main posts and metal structures
- Limited 5-year warranty on moving parts, bearings, seats, backrests, and HDPE panels
- Limited 3-year warranty on hydraulic pistons
- Limited 2-year warranty on footrests, armrests, rubber parts, chains, rings, other grips, and polyurethane components
- Limited 1-year warranty on battle ropes, climbing ropes, suspension trainers, and cargo nets

All warranties cover failure due to natural deterioration or manufacturing defects and do not include any cosmetic issues or wear and tear from normal use. This warranty does not cover cosmetic items such as scratches, dents, marring, fading, discoloring, weathering, wear and tear, or normal level of rusting. Warranty is valid only if the equipment is installed and maintained in conformity with Greenfields' installation and maintenance procedures furnished by Greenfields Outdoor Fitness. Equipment should not be exposed to any irrigation, especially with reclaimed water, as this will void the warranty. Equipment must be installed on a surface with proper drainage and or slope to prevent water buildup around the base of the equipment. Equipment should not be installed in basins or in low-lying areas which result in equipment being submerged. Equipment should be installed in a timely fashion after delivery; however, if the equipment must be stored for an extended period of time, crates should be stored in a dry, indoor environment.

OTHER PRODUCT INFORMATION

Greenfields will continue to develop its line of products and therefore reserves the right to change the design specifications without notice. The equipment is designed for use by individuals weighing up to 300 pounds. The equipment is NOT intended to be used by individuals younger than 14 years of age unless supervised by adults. Greenfields' units are designed to accommodate the majority of users age 14 and above; however, due to the nature of outdoor fitness equipment, units are regarded as "one size fits most, but not all."

CUSTOMER SUPPORT

Upon written notification (email or fax) to Greenfields of a product's failure to conform to any of the aforementioned warranties during the applicable warranty period, Greenfields shall correct such failure/nonconformity by repairing the defective part(s) or providing replacement part(s) within 60 calendar days of receipt of the notification. Greenfields shall ship the required replacement part(s) to the site free of charge, but will not be responsible for providing labor or the cost of labor for removing defective part(s) or installing replacement part(s). Greenfields will warranty the replacement part(s) for the remainder of the original warranty period. Furthermore, no representation, oral or written, of any individual may be substituted for this exclusive limited warranty. To the extent permitted by law, Greenfields shall not be liable for any direct, indirect, special, incidental or consequential damages, which are expressly excluded from the sale of its product. To make claims under the

terms of this warranty, please contact Greenfields' Customer Support Center at CSC@GreenfieldsFitness.com. Please include photos or video.

INSTALLATION

Greenfields' equipment is constructed from heavy steel pipes and is subject to heavy forces and torques when in use as intended. Extra care must be taken to ensure that the equipment is securely installed so that it can be safely enjoyed for years to come. There are two methods of installation for the equipment:

- Surface mount installation with posts bolted to a reinforced concrete slab a minimum of 6"-8" thick (please refer to Installation Instructions & Video for detailed guidelines)
 - Permanent in-ground installation in which the equipment post extensions are placed in concrete footings and use provided rebar pegs (please refer to Installation Instructions & Video for detailed guidelines)
- Installers and project managers are encouraged to contact Greenfields' Customer Support Center with any questions before, during, and/or after installation. Detailed installation instructions are available for all products and are included in the crates for every order. Often the installation of Greenfields' products is assigned to the lowest bidding contractor. The contractor may not have been in contact with Greenfields prior to the project or seen the detailed Installation Instructions. It is the responsibility of the project manager to ensure installing contractor is provided with the most updated set of Greenfields' Installation Instructions & Installation Video to ensure the validity of the warranty. Should the project installer need a copy of the Installation Instructions, please contact Greenfields' Customer Support Center at 888-315-9037 x105 or by email at CSC@GreenfieldsFitness.com.

SAFETY STANDARDS

This adult outdoor fitness equipment is not intended for use by unsupervised individuals younger than 14 years of age. ASTM recently adopted ASTM F3101-21A Standard Specification for Unsupervised Public Use Outdoor Fitness Equipment. While playgrounds are subject to laws in various states requiring compliance with ASTM and/or Consumer Product Safety Commission (CPSC) guidelines, at time of this publication, and to the best knowledge of Greenfields Outdoor Fitness, there are no state laws requiring compliance with standards set forth by ASTM for outdoor fitness equipment (nor with CPSC guidelines, as none currently exist.) Play equipment can be certified to be in compliance with ASTM by the International Playground Equipment Manufacturers Association (IPEMA), and many agencies have a requirement that they only purchase equipment that is IPEMA certified. However, at this time, this is not possible with outdoor fitness equipment, as IPEMA does not currently certify compliance of outdoor fitness equipment. In addition, at this time there are no programs in place to train certified inspectors for outdoor fitness equipment. Without a state law that requires compliance, specifications

are voluntary only. However, Greenfields Outdoor Fitness strives to comply with all of the voluntary specifications of ASTM F3101-21A. Greenfields recommends adding a customized sign to each project to limit liability.

SURFACING MATERIALS

To meet the ASTM F3101-21A Standard requirement for safety surfacing, Greenfields specifies the CFH (Critical Fall Height) for all fitness units and components in each design layout. Critical Fall height is specified as the distance from the designated use surface to the surface below, and follows the same rules applied to playgrounds. For example, in a seated position, the CFH will be from the seat to the floor below. In the case of a pull-up bar, it will be the distance from the top of the bar to the ground below. For the finish wall of the Ninja Course, it will be the top landing platform, etc. The decision of which type of fall attenuating surface material to use is ultimately up to the owner. The options include but are not limited to synthetic turf, engineered wood fiber, rubber tiles, and poured-in-place EPDM, to name a few. The thickness of each material recommended for a given CFH will vary by the manufacturer of the surfacing. Greenfields recognizes the owner may prefer one surfacing supplier over another. All we ask is that the material thickness meets the IPEMA requirement for the published CFH, and that the installer/supplier provides the owner with IPEMA Certification stating that the installed surfacing meets the required minimum CFH.

MAINTENANCE & EQUIPMENT UPKEEP

Greenfields Outdoor Fitness equipment is intended to be used by the unsupervised public in a variety of outdoor settings. Greenfields is extremely proud of the safe and durable design of its products, which are built to surpass their warranty under normal usage. Installations worldwide prove this equipment's success in both hot and cold climates, as well as dry and humid conditions. While the units are designed to require, for the most part, little to no maintenance, Greenfields recognizes that heavy and constant usage will require a minimal level of maintenance which will be scheduled based on the specific nature of each project. Installation on an ocean front, or with a direct line of sight to the ocean, will expose the units to salt and will require additional maintenance which is not required at inland sites or in dry climates. Such installations will require a regular freshwater rinse to remove the salt from the units (do not use reclaimed water - exposing the equipment to reclaimed water will void warranty). Greenfields recommends periodic inspection by a maintenance team to ensure each and every apparatus functions as intended. Please refer to the Periodic Inspection Checklist provided with the O&M Owner's Manuals. For project specific information, please contact a Greenfields project manager.